


Shrewd Archery and other Manufactures scopes to adapt to new Sure-Loc sights

5-27-20

Below is what need to be done to mount Shrewd scopes to the new Sure-Loc sights. Note this same thing can be done for other manufactures scopes on the market. **The Sure-Loc SL90008 Legacy sight to scope adaptor will need to be used.**

This is the two parts that come with the Legacy Sight to scope adaptor SL90008



Unfortunately, the round scope rod that Sure-Loc provides is .455" as the rod that shrewd provide for Tru-Ball is .490" and the rod that Shrewd provide for your other scopes is .375". Both these rods have a square end that recesses into the scope to prevent it from turning so the Legacy Sight Scope Adaptors will have to be used to mount scopes properly.



use.

This is the Sure-Loc SL90008 Legacy adaptor to



42mm Nomad works with the adaptor with the two metal pins and the machined raised hex, but it will not work with the Shrewd standard supplied 10/32 x 2" threaded bolt as it is too short. A **10/32 x 2.5" bolt** will be necessary to be able to get a locking nut on the distal end.

The 35mm Nomad will not work with any adaptor or just the straight rod.



Shrewd Nomads 42mm & 29mm (not the 35mm) and the Shrewd Essential will work with the Legacy Sight Scope adaptor with the two metal pins and the machined hex.

They will not work with the standard supplied 10/32 x 2" threaded bolt as it is too short. A 10/32 x 2.5" bolt will be necessary to be able to get a locking nut on the distal end.



42mm & 29mm Shrewd Nomad, 29mm Shrewd Essential

All Shrewd Optum scopes (40mm & 35mm) will work with the Legacy Sight Scope adaptor with the two metal pins and the machined raised hex.

They will not work with the standard supplied 10/32 x 2" threaded bolt as it is too short. A 10/32 x 2.5" bolt will be necessary to be able to get a locking nut on the distal end.



Shrewd 40mm Optum



Shrewd Optum (40mm & 35mm) and Shrewd 42mm scope (not the 35mm, 29mm Nomad or Essential) will work with using the bare shaft and no adaptors, but this is not recommended as the curvature of the Sure-Loc rod is the only thing that is keeping the scope from rotating.



Shrewd 42mm Nomad



Shrewd 42mm Nomad and 40mm Optum

Utilizing the Sure-Loc Legacy Sight Scope adaptor with the recessed machined hex part attached to the Sure-Loc scope rod does not work.

One could use both adaptors as shown in the bottom right photo, but there is no value.

The best scenario is to use the one part Legacy Sight Scope adaptor with the raised machine hex as that works well across the board for all Shrewd scopes except for the 35mm Nomad and the Flex.

